

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S78	3450	(network adj3 manag\$5 or NMS) and (retriev\$3 or access\$3 or stor\$3 or read\$3 or writ\$3) adj5 (device or apparatus or element or unit) and (based or accord\$4 or depend\$3 or correspon\$3 or us\$3) adj10 profile and (@AD<"20001101" or @RLAD<"20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:53
S79	0	S78 and profile with user adj3 ((interface or GUI) and (display or view) adj3 preference and group adj3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:56
S80	0	profile with user adj3 ((interface or GUI) and (display or view) adj3 preference and group adj3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:57
S81	1	user adj3 ((interface or GUI) and (display or view) adj3 preference and group adj3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:58
S82	35	profile with ((interface or GUI) and (display or view) and group adj3 level)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:59
S83	10	S78 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 11:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	102	profile with (priority and address and group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:18
L5	3450	(network adj3 manag\$5 or NMS) and (retriev\$3 or access\$3 or stor\$3 or read\$3 or writ\$3) adj5 (device or apparatus or element or unit) and (based or accord\$4 or depend\$3 or correspon\$3 or us\$3) adj10 profile and (@AD<"20001101" or @RLAD<"20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:48
L6	8	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:03
L7	3	5 and user adj2 (preference or profile) with (priority and group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:19
L8	2	(network adj3 manag\$5 or NMS) and (retriev\$3 or access\$3 or stor\$3 or read\$3 or writ\$3) adj5 (device or apparatus or element or unit) with (based or accord\$4 or depend\$3 or correspon\$3 or us\$3) adj10 (priority near10 group) and (@AD<"20001101" or @RLAD<"20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:29
L9	17	(retriev\$3 or access\$3 or stor\$3 or read\$3 or writ\$3) adj5 (device or apparatus or element or unit) with (based or accord\$4 or depend\$3 or correspon\$3 or us\$3) adj10 (priority near10 group) and (@AD<"20001101" or @RLAD<"20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:45
L10	0	9 and profile and network near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:47
L11	59	client with priority with (access\$3 adj10 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:52

EAST Search History

L12	29	11 and (@AD<"20001101" or @RLAD<"20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:57
L13	0	4 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:48
L14	0	12 and profile with priority with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:53
L15	0	12 and profile with priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:49
L16	110	(user or client) with priority with (access\$3 adj10 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:58
L17	1	16 and profile with priority with group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:53
L18	44	16 and (@AD<"20001101" or @RLAD<"20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 16:58
L19	5	18 and (access\$3 adj10 server) adj5 (based or accord\$4 or depend\$3 or correspon\$3 or us\$3) adj7 priority	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 17:00